



ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ Karnataka State Pollution Control Board

"ಪರಿಸರಭವನ", 1 ರಿಂದ 5ನೇ ಮಹಡಿಗಳು, ನಂ.49, ಚರ್ಚ್ ಸ್ಟ್ರೀಟ್, ಬೆಂಗಳೂರು - 560 001, ಕರ್ನಾಟಕ, ಭಾರತ
"Parisara Bhavana", 1st to 5th Floor, # 49, Church Street, Bengaluru - 560 001, Karnataka, INDIA
(SEE RULE 3(3) AND 7(5))

(Authorisation for Generation, Collection, Reception, Storage, Transportation, Treatment, Disposal and/or handling Bio-Medical Waste in any other manner)

Authorization No. KSPCB/F-276/BMW/2013-14/ 1199

Date: 11 NOV 2013

1. The Occupier of M/s. Mandya Institute of Medical Sciences, is hereby granted an authorization to operate a facility for Generation, Collection, Reception, Storage, Transportation, Treatment health care, Disposal of Bio-Medical Waste in the premises situated at District Government Hospital Campus, M.C. Road, Mandya.
2. This is an authorization granted for bed strength of 400 numbers for Generation, Collection, Reception, Storage, Transportation of the following categories of Bio-Medical Waste for treatment and disposal as indicated under Col.No.3.

Cat. No	Waste category Type	Treatment & disposal method
1	Human anatomical waste	The hospital shall hand over the wastes to CBMWTF to M/s. Maridi Eco Industries Pvt Ltd., approved by Board.
3	Micro biology & biotechnology waste	
4	Waste Sharps	
5	Discarded Medicines & cytotoxic Drugs	
6	Soiled wastes (Items contaminated with blood and body fluids including cotton, dressings, solid plaster casts, linens, beddings, other materials contaminated with blood)	
7	solid wastes (Waste generated from disposable items other than the waste sharps such as tablings, catheters, IV sets etc.)	
8	Liquid wastes	
9	Chemical waste	Chemical treatment and discharge into drains for liquids and secured landfill for solids.

3. This is an authorization granted for a period of three years from 01-07-2012 to 30-06-2015.

8692

14.11.13

Dew

SENIOR ENVIRONMENTAL OFFICER (WMC)

"ಪ್ಲಾಸ್ಟಿಕ್ ಬಳಕೆ ನಿಲ್ಲಿಸಿ, ಪರಿಸರ ಹಾನಿ ತಪ್ಪಿಸಿ"

AVOID USE OF PLASTICS- BE 'ECO' FRIENDLY

4. This authorization is issued subject to the terms and conditions enclosed and to such conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
5. It is the duty of every occupier to ensure that, all the biomedical waste generated is handled and disposed scientifically as per the Rules without causing any adverse effect to human health and the environment.
6. The occupier is required to ensure that, discharge of liquid wastes is in compliance with the standard stipulated in schedule V of the Rules.
7. The applicant shall hand over the Bio Medical Waste to CBMWTF to M/s. Maridi Eco Industries Pvt Ltd., approved by Board.
8. The applicant shall segregate the biomedical waste as per the Rules at individual ward level before handing over to common biomedical waste treatment facility.
9. The applicant is liable to pay authorization fee subject to the final verdict of the Hon'ble High Court of Karnataka in writ appeals filed by the Board to writ petition No. 860/2000.
10. The hospital authority/applicant shall open Biomedical Waste Management cell involving at least 10 staff and fixing responsibility on each of the staff. The staff shall be chosen from different hierarchical levels and these staff shall undergo training on the details of biomedical waste management.
11. Hospital authority/applicant shall maintain the records and log book regarding generation and disposal of different categories of biomedical waste in the hospital on a day to day basis.
12. The Hospital authority/applicant shall earmark the Floor wise allotment of responsibilities for Bio-Medical Waste Management among staff and the same be displayed to the public.
13. The applicant shall display Charter on implementation of Bio-Medical Waste (M&H) Rules to the public in the hospital.
14. The applicant shall apply & obtain the Consent under Water Act & Air Act within one month time for the date of receipt of the authorization order.
15. The Hospital Authority shall segregate Mercury waste from the Bio-Medical stream and same shall be stored in a secured place before its disposal. Waste containing more than 50ppm mercury is considered as Hazardous waste and the Hospital Authority shall have to obtain separate authorization under Hazardous Waste (M & H) Rules, 1998 for the disposal.
16. The applicant shall display this authorization as a prominent place like reception /entrance .
17. They have been informed to maintained records regarding mercury waste being generated from the broken BP apparatus, Thermo meters etc.
18. The Annual returns in form-II has not been submitted for the year 2010-2011 and informed to submit the same.

**Draft Approved by
Member Secretary**


SENIOR ENVIRONMENTAL OFFICER (WMC)

To
The Occupier

M/s. Mandya Institute of Medical Sciences,
District Government Hospital Campus,
M.C. Road, Mandya

23/9